
**Pacific Northwest
National Laboratory**

Operated by Battelle for the
U.S. Department of Energy

Visual Sample Plan Version 5.0 User's Guide

B. D. Matzke	J. E. Wilson
L. L. Nuffer	S. T. Dowson
R. O. Gilbert	N. L. Hassig
J. E. Hathaway	Christopher J. Murray
L.H. Sego	B. A. Pulsipher
B. Roberts	S. McKenna

September 2007



Prepared for the U.S. Department of Energy
under Contract DE-AC05-76RL01830

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by

BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information,

P.O. Box 62, Oak Ridge, TN 37831-0062;

ph: (865) 576-8401

fax: (865) 576-5728

email: reports@osti.gov

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161

ph: (800) 553-6847

fax: (703) 605-6900

email: orders@ntis.gov

online ordering: <http://www.ntis.gov/ordering.htm>



This document was printed on recycled paper.

Visual Sample Plan Version 5.0 User's Guide

B. D. Matzke	J. E. Wilson
L. L. Nuffer	S. T. Dowson
R. O. Gilbert	N. L. Hassig
J. E. Hathaway	Christopher J. Murray
L.H. Sego	B.A. Pulsipher
B. Roberts	S. McKenna

September 2007

Prepared for
the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

Abstract

This user's guide describes Visual Sample Plan (VSP) Version 5.0 and provides instructions for using the software. VSP selects the appropriate number and location of environmental samples to ensure that the results of statistical tests performed to provide input to risk decisions have the required confidence and performance. VSP Version 5.0 provides sample-size equations or algorithms needed by specific statistical tests appropriate for specific environmental sampling objectives. It also provides data quality assessment and statistical analysis functions to support evaluation of the data and determine whether the data support decisions regarding sites suspected of contamination. The easy-to-use program is highly visual and graphic. VSP runs on personal computers with Microsoft Windows operating systems (98, NT, 2000, Millennium Edition, CE, and XP). Designed primarily for project managers and users without expertise in statistics, VSP is applicable to two- and three-dimensional populations to be sampled (e.g., rooms and buildings, surface soil, a defined layer of subsurface soil, water bodies, and other similar applications) for studies of environmental quality. VSP is also applicable for designing sampling plans for assessing chem./rad/bio threat and hazard identification within rooms and buildings, and for designing geophysical surveys for UXO identification.

Acknowledgments

We wish to thank the many sponsors from multiple US Government Agencies and the United Kingdom Atomic Weapons Establishment for their continued support of VSP developments. We thank George Detsis and Rich Bush, U.S. Department of Energy, John Warren and Mike Carter, U.S. Environmental Protection Agency, Lance Brooks and Don Bansleben, U.S. Department of Homeland Security, Anne Andrews and Jeff Marqusee, U.S. Department of Defense (SERDP/ESTCP), Karl Sieber, Matt Gillen, Stan Shulman, and James Bennett, U.S. Center for Disease Control NIOSH, and Steve Wilcox and Laura Peacock, United Kingdom Atomic Weapons Establishment for their continued support and guidance on the development of many modules in VSP. We also wish to thank Rebecca Blackmon, Bill Ingersoll, Fred McLean, Ed Hartzog, David Bottrell, and Larry Zaragoza for their past support. Special thanks are extended also to individuals in the Statistical Sciences and Sensor Analytics Groups at Pacific Northwest National Laboratory: Kevin Anderson for statistical expertise; Virginia Syria for her project financial accounting support; DJ Damstedt for his efforts in quality assurance; and Doug Bodine for his assistance on projects and preparing the final report. We also thank Nancy Valentine and Don Hadley for their excellent guidance on biological sampling and building modeling. We also want to especially thank Steve Wilcox for the continued beta testing and recommended improvements. The authors are pleased to acknowledge the contribution from the developers of ProUCL on some of the statistical analysis algorithms.